



Cold rolled sheets

AISI	W.Nr.
AISI 304	W.Nr. 1.4301
AISI 304L	W.Nr. 1.4307
AISI 316 (L)	W.Nr. 1.4404
AISI 316Ti	W.Nr. 1.4571
AISI 321	W.Nr. 1.4541
AISI 430	W.Nr. 1.4016

Finish
BA
2B
2E

• Other types of quality always available upon request

Thickness	Width	Length	Panel weight in kg
0,50	X	1000 X 2000	8,00
0,60	X	1000 X 2000	9,60
0,70	X	1000 X 2000	11,20
0,80	X	1000 X 2000	12,80
1,00	X	1000 X 2000	16,00
1,25	X	1000 X 2000	20,00
1,50	X	1000 X 2000	24,00
2,00	X	1000 X 2000	32,00
2,50	X	1000 X 2000	40,00
3,00	X	1000 X 2000	48,00
4,00	X	1000 X 2000	64,00
5,00	X	1000 X 2000	80,00
6,00	X	1000 X 2000	96,00
0,50	X	1250 X 2500	12,50
0,60	X	1250 X 2500	15,00
0,70	X	1250 X 2500	17,50
0,80	X	1250 X 2500	20,00
1,00	X	1250 X 2500	25,00
1,25	X	1250 X 2500	31,25
1,50	X	1250 X 2500	37,50
2,00	X	1250 X 2500	50,00
2,50	X	1250 X 2500	62,50
3,00	X	1250 X 2500	75,00
4,00	X	1250 X 2500	100,00
5,00	X	1250 X 2500	125,00
6,00	X	1250 X 2500	150,00

Thickness	Width	Length	Panel weight in kg
0,80	X	1500 X 3000	28,80
1,00	X	1500 X 3000	36,00
1,25	X	1500 X 3000	45,00
1,50	X	1500 X 3000	54,00
2,00	X	1500 X 3000	72,00
2,50	X	1500 X 3000	90,00
3,00	X	1500 X 3000	108,00
4,00	X	1500 X 3000	144,00
5,00	X	1500 X 3000	180,00
6,00	X	1500 X 3000	216,00
1,50	X	2000 X 4000	96,00
2,00	X	2000 X 4000	128,00
3,00	X	2000 X 4000	197,00
4,00	X	2000 X 4000	256,00
5,00	X	2000 X 4000	320,00
6,00	X	2000 X 4000	384,00
1,50	X	2000 X 6000	144,00
2,00	X	2000 X 6000	192,00
3,00	X	2000 X 6000	288,00
4,00	X	2000 X 6000	384,00
5,00	X	2000 X 6000	480,00
6,00	X	2000 X 6000	576,00

Dimensions in mm.

Processing methods

- Ground with grain: 80, 120, 180, 220, 240, 320, ... Higher quality upon request: 400-1200
- Brushed: Scotch brite
- Mirror finish
- Circle finish (sun design)
- Deco and structural finishes
- Laser film coated: Single-sided, double-sided • Standard film, easy-peel



Hot rolled sheets

AISI	W.Nr.
AISI 304	W.Nr. 1.4301
AISI 304L	W.Nr. 1.4307
AISI 316 (L)	W.Nr. 1.4404
AISI 316Ti	W.Nr. 1.4571
AISI 321	W.Nr. 1.4541
AISI 430	W.Nr. 1.4016

Finish
1D

- Other types of quality always available upon request

Thickness	Width	Length	Panel weight in kg
3	X	1000 X 2000	48,00
4	X	1000 X 2000	64,00
5	X	1000 X 2000	80,00
6	X	1000 X 2000	96,00
7	X	1000 X 2000	112,00
8	X	1000 X 2000	128,00
10	X	1000 X 2000	160,00
12	X	1000 X 2000	192,00
3	X	1250 X 2500	75,00
4	X	1250 X 2500	100,00
5	X	1250 X 2500	125,00
6	X	1250 X 2500	150,00
7	X	1250 X 2500	175,00
8	X	1250 X 2500	200,00
10	X	1250 X 2500	250,00
12	X	1250 X 2500	300,00
3	X	1500 X 3000	108,00
4	X	1500 X 3000	144,00
5	X	1500 X 3000	180,00
6	X	1500 X 3000	216,00
7	X	1500 X 3000	252,00
8	X	1500 X 3000	288,00
10	X	1500 X 3000	360,00
12	X	1500 X 3000	432,00

Thickness	Width	Length	Panel weight in kg
4	X	2000 X 4000	256,00
5	X	2000 X 4000	320,00
6	X	2000 X 4000	384,00
7	X	2000 X 4000	448,00
8	X	2000 X 4000	512,00
10	X	2000 X 4000	640,00
12	X	2000 X 4000	768,00
4	X	2000 X 6000	384,00
5	X	2000 X 6000	480,00
6	X	2000 X 6000	576,00
7	X	2000 X 6000	672,00
8	X	2000 X 6000	768,00
10	X	2000 X 6000	960,00
12	X	2000 X 6000	1152,00

Dimensions in mm.

Processing methods

- Ground with grain: 80, 120, 180, 220, 240, 320, ... Higher quality upon request: 400-1200
- Laser film coated: Single-sided, double-sided • Standard film, easy-peel



Quarto plates

Thickness	Width	Length		Panel weight in kg*
15	X	1000	X 2000	240,00
20	X	1000	X 2000	320,00
25	X	1000	X 2000	400,00
30	X	1000	X 2000	480,00
40	X	1000	X 2000	640,00
50	X	1000	X 2000	800,00
15	X	1250	X 2500	375,00
20	X	1250	X 2500	500,00
25	X	1250	X 2500	625,00
30	X	1250	X 2500	750,00
40	X	1250	X 2500	1000,00
50	X	1250	X 2500	1250,00
15	X	1500	X 3000	540,00
20	X	1500	X 3000	720,00
25	X	1500	X 3000	900,00
30	X	1500	X 3000	1080,00
40	X	1500	X 3000	1440,00
50	X	1500	X 3000	1800,00

Thickness	Width	Length		Panel weight in kg*
15	X	2000	X 4000	960,00
20	X	2000	X 4000	1280,00
25	X	2000	X 4000	1600,00
30	X	2000	X 4000	1920,00
40	X	2000	X 4000	2560,00
50	X	2000	X 4000	3200,00
15	X	2000	X 6000	1440,00
20	X	2000	X 6000	1920,00
25	X	2000	X 6000	2400,00
30	X	2000	X 6000	2880,00
40	X	2000	X 6000	3840,00
50	X	2000	X 6000	4800,00

Dimensions in mm.

Available in 316 (L)

* : Weight per panel in kg approx. 5% tolerance





Anti-slip sheets

Width		Max. length	Thickness	Panel weigth in kg/m ²
1000	X	6000	X 3,0 + T	27,00 - 33,00
1000	X	6000	X 3,5 + T	30,00 - 36,00
1000	X	6000	X 4,0 + T	34,00 - 40,00
1250	X	6000	X 4,0 + T	34,00 - 40,00
1000	X	6000	X 4,5 + T	38,00 - 45,00
1250	X	6000	X 4,5 + T	38,00 - 45,00
1000	X	6000	X 5,0 + T	42,00 - 49,00
1250	X	6000	X 5,0 + T	42,00 - 49,00
1000	X	6000	X 6,0 + T	50,00 - 57,00
1250	X	6000	X 6,0 + T	50,00 - 57,00
1000	X	6000	X 7,0 + T	58,00 - 65,00
1250	X	6000	X 7,0 + T	58,00 - 65,00
1000	X	6000	X 8,0 + T	66,00 - 70,00
1250	X	6000	X 8,0 + T	66,00 - 70,00

Dimensions in mm.

Available in 304 (L)

* : Weight per panel in kg approx. 5% tolerance

