



## Disks

Available in quality 304 ( L ) – 316 L and 430

Kg per 1000 items per Specific Thickness							
Thickness (mm)	0,6	0,7	0,8	1	1,2	1,5	2
Diameter (mm)							
120	54,00	63,00	72,00	90,00	108,00	135,00	179,00
130	63,00	74,00	84,00	105,00	126,00	158,00	211,00
135	68,00	79,00	91,00	114,00	136,00	170,00	227,00
140	73,00	85,00	98,00	122,00	146,00	183,00	244,00
148	82,00	95,00	109,00	136,00	164,00	205,00	273,00
161	97,00	113,00	129,00	161,00	194,00	242,00	323,00
170	108,00	126,00	144,00	180,00	216,00	270,00	360,00
180	121,00	141,00	161,00	202,00	242,00	303,00	404,00
182	124,00	144,00	165,00	206,00	248,00	309,00	413,00
190	135,00	157,00	180,00	225,00	270,00	337,00	450,00
195	142,00	166,00	189,00	237,00	284,00	355,00	474,00
200	149,00	174,00	199,00	249,00	299,00	374,00	498,00
210	165,00	192,00	220,00	275,00	330,00	412,00	549,00
220	181,00	211,00	241,00	301,00	362,00	452,00	603,00
225	189,00	221,00	252,00	315,00	378,00	473,00	631,00
230	198,00	231,00	264,00	329,00	395,00	494,00	659,00
235	206,00	241,00	275,00	344,00	413,00	516,00	688,00
242	219,00	255,00	292,00	365,00	438,00	547,00	730,00
250	234,00	272,00	311,00	389,00	467,00	584,00	779,00
258	249,00	290,00	332,00	415,00	497,00	622,00	829,00
263	258,00	302,00	345,00	431,00	517,00	646,00	862,00
267	266,00	311,00	355,00	444,00	533,00	666,00	888,00
273	279,00	325,00	371,00	464,00	557,00	696,00	928,00
280	293,00	342,00	391,00	488,00	586,00	732,00	977,00
283	298,00	348,00	398,00	497,00	596,00	746,00	994,00
287	308,00	359,00	410,00	513,00	616,00	770,00	1026,00
295	325,00	379,00	434,00	542,00	650,00	813,00	1084,00
300	336,00	392,00	448,00	561,00	673,00	841,00	1121,00

Dimensions in mm.



## Disks

Available in quality 304 ( L ) – 316 L and 430

Kg per 1000 items per Specific Thickness							
Thickness (mm)	0,6	0,7	0,8	1	1,2	1,5	2
Diameter (mm)							
303	342,00	399,00	456,00	570,00	684,00	855,00	1140,00
306	350,00	408,00	467,00	583,00	700,00	875,00	1166,00
312	364,00	424,00	485,00	606,00	728,00	909,00	1213,00
315	371,00	433,00	494,00	618,00	742,00	927,00	1236,00
323	390,00	455,00	520,00	650,00	780,00	975,00	1300,00
330	407,00	475,00	543,00	678,00	814,00	1017,00	1357,00
335	419,00	489,00	559,00	699,00	839,00	1048,00	1398,00
337	424,00	495,00	566,00	707,00	849,00	1061,00	1415,00
342	437,00	510,00	583,00	728,00	874,00	1093,00	1457,00
353	466,00	543,00	621,00	776,00	931,00	1164,00	1552,00
360	484,00	565,00	646,00	807,00	969,00	1211,00	1614,00
365	498,00	581,00	664,00	830,00	996,00	1245,00	1660,00
370	512,00	597,00	682,00	853,00	1023,00	1279,00	1705,00
379	537,00	626,00	716,00	895,00	1074,00	1342,00	1789,00
385	554,00	646,00	739,00	923,00	1108,00	1385,00	1846,00
397	589,00	687,00	785,00	982,00	1178,00	1472,00	1963,00
405	613,00	715,00	817,00	1022,00	1226,00	1532,00	2043,00
412	634,00	740,00	846,00	1057,00	1269,00	1586,00	2114,00
422	665,00	776,00	887,00	1109,00	1331,00	1664,00	2218,00
425	675,00	787,00	900,00	1125,00	1350,00	1687,00	2250,00
430	691,00	806,00	921,00	1152,00	1382,00	1727,00	2303,00
460	791,00	923,00	1054,00	1318,00	1581,00	1977,00	2636,00
471	829,00	967,00	1105,00	1382,00	1658,00	2073,00	2763,00
485	879,00	1026,00	1172,00	1465,00	1758,00	2198,00	2930,00
488	890,00	1038,00	1187,00	1483,00	1780,00	2225,00	2966,00
497	923,00	1077,00	1231,00	1538,00	1846,00	2308,00	3077,00

Dimensions in mm.



## Disks

Available in quality 304 ( L ) – 316 L and 430

Kg per 1000 items per Specific Thickness							
Thickness (mm)	0,6	0,7	0,8	1	1,2	1,5	2
Diameter (mm)							
510	972,00	1134,00	1296,00	1620,00	1944,00	2430,00	3240,00
520	1010,00	1179,00	1347,00	1684,00	2021,00	2526,00	3368,00
530	1050,00	1225,00	1400,00	1750,00	2099,00	2624,00	3499,00
540	1090,00	1271,00	1453,00	1816,00	2179,00	2724,00	3632,00
545	1110,00	1295,00	1480,00	1850,00	2220,00	2775,00	3700,00
550	1130,00	1319,00	1507,00	1884,00	2261,00	2826,00	3768,00
570	1214,00	1417,00	1619,00	2024,00	2428,00	3035,00	4047,00
580	1257,00	1467,00	1676,00	2095,00	2514,00	3143,00	4190,00
590	1301,00	1518,00	1734,00	2168,00	2602,00	3252,00	4336,00
600	1345,00	1570,00	1794,00	2242,00	2691,00	3363,00	4484,00
615	1413,00	1649,00	1885,00	2356,00	2827,00	3534,00	4711,00
635	1507,00	1758,00	2009,00	2511,00	3014,00	3767,00	5023,00
640	1531,00	1786,00	2041,00	2551,00	3061,00	3827,00	5102,00
660	1628,00	1899,00	2170,00	2713,00	3256,00	4070,00	5426,00
665	1653,00	1928,00	2203,00	2754,00	3305,00	4131,00	5509,00
670	1678,00	1957,00	2237,00	2796,00	3355,00	4194,00	5592,00
700	831,00	2136,00	2441,00	3052,00	3662,00	4578,00	6104,00
760	2158,00	2518,00	2878,00	3597,00	4317,00	5396,00	7195,00
800	2392,00	2790,00	3189,00	3986,00	4783,00	5979,00	7972,00
830	2574,00	3003,00	3433,00	4291,00	5149,00	6436,00	8581,00
900	3027,00	3531,00	4036,00	5045,00	6054,00	7567,00	10090,00

Dimensions in mm.



## Steel wire

Quality 302 – 316 – 904L – 631 and duplex

Diameter (mm)	From	To
	0,1	10

  

Packaging on inner diameter (mm)	From	To
	300	1000

  

Packaging on outer diameter (mm)	From	To
	400	1300

  

Weight (kg.)	From	To
	3	2000

Dimensions in mm.



## Welding wire

Diameter (mm)	From	To
	0,8	4
<b>Packaging on inner diameter (mm)</b>		
	From 52	To 500
<b>Packaging on outer diameter (mm)</b>		
	From 200	To 510
<b>Weight (kg.)</b>		
	From 5	To 250

Dimensions in mm.

Quality Ferritic / Austenitic / Martensitic and Specials